

Hi,
The settings I use for maxiDisk are
Disk type 1.7 meg[DMF]
Cylinders: 82 (Total size 1722 k bytes)
leave formatting options blank
click Do format and ok for disk info
click yes or no to view disk before formatting
ok when finished.

For Windows 3.x, '95, '98 and ME. Not XP

<http://www.herne.com/>

(1.7meg DMF)=1,745,408bytes

1.66MB Free Space

Windows 95B

(note: this is As Sold With new PC/Blank HDD)

\---Disk0(setup disk)

deltemp.com
dossetup.bin
extract.exe
FORMAT.COM
layout.inf
layout1.inf
MINI.CAB
MSINFO.INF
OEMSETUP.BIN
OEMSETUP.EXE
readme.txt

[back to main page](#)



After making a set it's best to copy all floppies
back to a [formatted HDD](#) and run set from there.

[Laplinking PC to Laptop](#)

[Windows Versions](#)

Windows 98a full and 98a upgrade

\---Disk 0 (setup disk)

deltemp.com

dossetup.bin
extract.exe
FORMAT.COM **only in win98a**
intl.txt
OEMSETUP.BIN **only in win98a**
OEMSETUP.EXE **only in win98a**

save32.com
scandisk.exe
scandisk.pif
scanprog.exe
setup.exe
setup.txt
smartdrv.exe
SUHELPER.BIN
wb16off.exe
winsetup.bin
xmsmmgr.exe

\---Disk1(Precopy)
PRECOPY1.CAB
PRECOPY2.CAB

+---Disk2
SWINST4.EXE
win95_02.cab

All other CAB's to floppies (1 Cab for 1 floppy)
(26) "cabs 3 to 28"

Copy to HDD or run from floppies

Windows 95a (22 Diskset Version)

bootdisk
AUTOEXEC.BAT
COMMAND.COM

setup0.wav
setup1.wav
setup2.wav
smartdrv.exe
suback.bin
suhelper.bin
w98setup.bin
wb16off.exe
xmsmmgr.exe

+---Disk1
| DRIVER21.CAB
| mini.cab
|
+---Disk2
| BASE4.CAB
| BASE6.CAB
| CATALOG3.CAB
| chl99.cab

| DRIVER11.CAB
|
+---Disk3

Windows95 Companion Disk

Deltemp.com
Extract.exe
Format.com
MINI.cab
PRECOPY1.cab
PRECOPY2.cab
Readme.txt
Save32.com
Scandisk.exe
Scanprog.exe
Setup.txt
SMARTDRV.EXE
WB16OFF.EXE
Win95_02.cab
Win95_03.cab
Win95_04.cab
Win95_05.cab
Win95_06.cab
Win95_07.cab
Win95_08.cab
Win95_09.cab
Win95_10.cab
Win95_11.cab
Win95_12.cab
Win95_13.cab
Win95_14.cab
Win95_15.cab
Win95_16.cab
Win95_17.cab
XMSMMGR.EXE

Then download and unzip this file to floppy and

CONFIG.SYS
COUNTRY.SYS
DISPLAY.SYS
EGA.CPI
EGA2.CPI
EGA3.CPI
FDISK.EXE
FORMAT.COM
HIMEM.SYS
IO.SYS
KEYB.COM
KEYBOARD.SYS
KEYBRD2.SYS
MODE.COM
MSDOS.SYS
OEMSETUP.BIN
OEMSETUP.EXE
|
Disk1
DELTEMP.COM
DOSSETUP.BIN
EXTRACT.EXE
MINI.CAB
MSBATCH.INF
PRECOPY1.CAB
README.TXT
SAVE32.COM
SCANDISK.EXE
SCANDISK.PIF
SCANPROG.EXE
SCANREG.EXE
SETUP.EXE

All other CAB's to floppies (1 Cab for 1 floppy) [Companion disk](#)
(61)

for the upgrade see,

LOADING WINDOWS 98 upgrade as Full
Version from harddrive

SETUP.TXT
SMARTDRV.EXE
WB16OFF.EXE
WINSETUP.BIN
XMSMMGR.EXE

|

Disk2

Precopy2.cab

|

Disk3

PRECOPY3.CAB

WIN95_03.CAB

All other CAB's to floppies.

